PWS	ID# :	PWS NAME :	CITY/TOWN: _	S.	AMPLE CODE *:					
					_					
LEAD ANALYSIS METHOD: LEAD DETECTION LIMIT: COPPER ANALYSIS METHOD: COPPER DETECTION LIMIT: # OF SAMPLES REQUIRED: # OF SAMPLES SUBMITTED: 90 <sup>TH</sup> PERCENTILE LEAD: 90 <sup>TH</sup> PERCENTILE COPPER:										
# OF 1	LAB SAMPLE ID	COLLECTION DATE	PRIMARY APPROVED SAMPLE SITE **	LEAD RESULT	LEAD ANALYSIS	COPPER RESULT	COPPER ANALYSIS			
1				(mg/L) ***	DATE	(mg/L) ***	DATE			
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										
13 14										
15										
16										
17										
18										
19										
20										
21										
22										
23										
24										
25	CCHOO	DECLUTE 11 11 11 1	71 210 CMD 22 0(D (7) (1) 0 1	No. 24 1 2 2 1 2 1	to in ooth a		1.4			
	SCHOO	L RESULTS collected i	n accordance with 310 CMR 22.06B (7) (a) 9. I (PWS must attach laboratory reports fo		results in 90" p	ercentile calci	ulations.			
1										
2										
3										
4										
		SAMPLE CODE *	PLEASE NO	TE THE FOLLOWING:						
1	FIRST SEM PERIOD	FIRST SEMI-ANNUAL SAMPLING PERIOD Water suppliers should mail one copy of this form, including all results for the monitoring period to the DEP regional office within 10 days after the end of the monitoring/sampling period.								
2										
3	REDUCED	REDUCED – ANNUAL *** Results below the laboratory's reported detection limit (MDL) shall be reported as zero. Results at or								
4	REDUCED	- EVERY THREE YEARS	above the laboratory's detection limit (MDL) reported as measured or may be reported as 0.				per shall be			
5	LSL REPLA	ACEMENT PROGRAM	0023 mg/L 101 leau 01 (	.023 mg/L 101	соррег.					
6	DEMONST	DEMONSTRATION Please submit Forms <b>LCR-D</b> or <b>LCR-E</b> to the appropriate DEP Regional Office along with this form.								
		nalty of law that I am est of my knowledge a	the person authorized to fill out this form and belief.	and the information o	contained here	ein is true, a	ccurate and			
REMA	ARKS:		SIGNATURE OF PWS or LABORA	ATORY DIRECTOR	/		age of			

## DEP LEAD AND COPPER ANALYSIS REPORT\*\* 90<sup>th</sup> PERCENTILE COMPLIANCE (For systems required to collect more than 5 samples)

(Note: Do not include school results on this form unless the PWS is a school)

Step 1: Place *lead* results in ascending order (from lowest to highest value) with lowest value at # 1.

Step 2: Multiply the total number of samples by 0.9. This is your 90<sup>th</sup> percentile sample number.

Step 3: Compare the 90th percentile level to the action level of 0.015 mg/L (i.e., 15 parts per billion (ppb)). If your 90th percentile value is higher than 0.015 mg/L, you have an exceedance.

Repeat this procedure for **copper** sample results, except compare the 90th percentile copper level against its action

Level of 1.3 mg/L. If your 90th percentile value is greater than 1.3 mg/L, you have an exceedance

LEAD RESULTS (mg/L)							COP	PER RES	ULTS	S (mg/L)					
#	Results	#	Results	#	Results	#	Results	#	Results	#	Results	#	Results	#	Results
1*		26		51		76		1*		26		51		76	
2		27		52		77		2		27		52		77	
3		28		53		78		3		28		53		78	
4		29		54		79		4		29		54		79	
5		30		55		80		5		30		55		80	
6		31		56		81		6		31		56		81	
7		32		57		82		7		32		57		82	
8		33		58		83		8		33		58		83	
9		34		59		84		9		34		59		84	
10		35		60		85		10		35		60		85	
11		36		61		86		11		36		61		86	
12		37		62		87		12		37		62		87	
13		38		63		88		13		38		63		88	
14		39		64		89		14		39		64		89	
15		40		65		90		15		40		65		90	
16		41		66		91		16		41		66		91	
17		42		67		92		17		42		67		92	
18		43		68		93		18		43		68		93	
19		44		69		94		19		44		69		94	
20		45		70		95		20		45		70		95	
21		46		71		96		21		46		71		96	
22		47		72		97		22		47		72		97	
23		48		73		98		23		48		73		98	
24		49		74		99		24		49		74		99	
25		50		75		100		25		50		75		100	

20	45	70	95	20	45	70	95	
20 21	46	71	96	21	46	71	96	
22	47	72	97	22	47	72	97	
22 23 24 25	48	73	98	23	48	73	98	
24	49	74	99	24	49	74	99	
25	50	75	100	25	50	75	100	
Total # of of the abo	n was required t samples:ve lists and ente	x 0	ead and copper samp $.9 = \underline{\hspace{1cm}}. T$ e appropriate spaces $015 \text{ mg/L}.$	his number is my below.	system's 90 <sup>th</sup> per	rcentile sample #. (	Circle sample # o	n both
(Result at	90 <sup>th</sup> percentile l	ead value) (The l	015 mg/L. ead action level)	(Result at 90 <sup>th</sup>	percentile coppe	r value) (The copr	er action level)	
you are a of 310 CMR	community syst 22.16A (4) (i) 6	em you must con	for lead as determine apply with the Consumer lead action level action level and(in	mer Confidence F	Rule requirement sampling sites ex	in accordance with		
communit	y system you m  My system wa	ust comply with as at or below the	for copper as determ the Consumer Confi- copper action level er action level and	ined from the abo dence Rule requi	ove results. If you rement in accorda	ance with 310 CMI	R 22.16A (4) (i) 6	
My signature have also not	below indicates tha ified the owner of ea	at all sampling sites of each sampling site of t	n this report have been pi heir sites' individual resu nplete to the best of my ki	reviously approved in lts. I certify under pe	writing by the DEP a	nd that I have complied	l with 310 CMR 22.0	
City/Town:						DATE /	_	
Name: * Please subm	nit FORM LCR-C ald	ong with this form.	SIGNATURE OF PWS PWSID # :	or OWNER'S REPRE	SENTATIVE	Page of		
12/01/20	004							

Page \_\_\_\_of \_\_\_\_

## **DEP LEAD AND COPPER ANALYSIS REPORT\*\*** 90<sup>th</sup> PERCENTILE COMPLIANCE (For systems required to collect 5 samples)

- Step 1: Place lead or copper results in ascending order. (from lowest value to highest value)
- Step 2: Take the average of the 4th and 5th highest sample. This is your 90th percentile level.
- Step 3: Compare each 90th percentile level against the corresponding action level. If the 90th percentile value is higher than the action level, then you have an exceedance.

Note: If you collected more than 5 samples you must use the 90<sup>th</sup> percentile compliance form for more than 5 samples

7	#	LEAD	#	COPPER	
		All results for the sampling period		All results for the sampling period	
	1*		1*		
	2		2		
	3		3		
	4		4		
	5	vest value result	5		
Circle 4 <sup>th</sup> Take the a Value of 4  (Lead 90 <sup>th</sup>	and 5 avera 4 <sup>th</sup> high		e than follow percent	entile level	
Certifica					
communit	ty sys My	stem you must comply with the Consumer Con system was at or below the lead action level sytem exceeded the lead action level and	ıfiden	by the above results. If you have an exceedance and ace Rule requirement at 310 CMR 22.16A (4) (i) 6.  sampling sites exceeded the lead action lever of samples)	•
are a com	muni My		er Cor el	d from the above results. If you have an exceedance affidence Rule requirement at 310 CMR 22.16A (4) assumptions sampling sites exceeded the copper action at # of samples)	(i) 6.
DEP and sites' indi	l that lividu	I have complied with 310 CMR 22.06B(7)	I hav at I a	eport have been previously approved in writing we also notified the owner of each sampling site om the person authorized to fill out this form an to the best of my knowledge and belief.	of their
REMARK	KS:				
Name:		City/Town:		PWSID#	

Name (Print): \_\_\_\_\_

\*\* Please submit FORM LCR-C along with this form.

# How to Evaluate your Results? - Calculating the 90<sup>th</sup> Percentile (See 310 CMR22.06B)

Name:	City/Town:	Date: / /
PWSID#:	• • • • • • • • • • • • • • • • • • • •	

Lead and copper analytical results are evaluated against an action level, not an MCL. The lead action level is exceeded if the concentration of lead in more than 10 percent of tap water samples collected during any monitoring period is greater than 0.015 mg/L (i.e., if the 90th percentile level lead level is greater than 0.015 mg/L). The copper action level is exceeded if the concentration of copper in more than 10 percent of tap water samples collected during any monitoring period is greater than 1.3 mg/L (i.e., if the 90th percentile level copper level is greater than 1.3 mg/L). All samples that meet the proper site selection and sample collection procedures are used to determine the 90th percentile calculation, even if you collect samples from more sites than required.

The 90th percentile is calculated separately for lead and copper. The procedure for determining the lead 90th percentile value is as follows:

#### If you are required to collect more than 5 samples:

- Step 1: Place *lead* results in ascending order (from lowest to highest value) with lowest value at # 1.
- Step 2: Multiply the total number of samples by 0.9.
- Step 3: Compare the 90th percentile level to the action level of 0.015 mg/L (i.e., 15 parts per billion (ppb)). If your 90th percentile value is higher than 0.015 mg/L, you have an exceedance.

Repeat this procedure for **copper** sample results, except compare the 90th percentile copper level against its action level of 1.3 mg/L. If your 90th percentile value is greater than 1.3 mg/L, you have an exceedance.

#### If you are required to collect 5 samples:

- Step 1: Place lead or copper results in ascending order.
- Step 2: Take the average of the 4th and 5th highest sample. This is your 90th percentile level.
- Step 3: Compare the 90th percentile level against the lead or copper action level.

**REMEMBER:** All sample results taken during the monitoring period must be included in your 90th percentile calculations, unless a result has been invalidated by the DEP. If a sample is invalidated, its replacement sample must be included in the 90th percentile calculation. Further, a 90th percentile level **must** be calculated even if the system has collected less than the minimum required number of samples. School samples are not included unless the school is a public water system.

Below are two examples to help demonstrate the 90th percentile calculation for systems that are required to collect more than 5 samples. The first example explains how to determine whether you have exceeded an action level when your 90th percentile level is a whole number. The second example shows how to make this determination when your 90th percentile level contains a decimal. This may happen when you collect more than the minimum required number of samples.

Example 1: Determining Whether An Action Level Has Been Exceeded When the 90th Percentile Sample # is A Whole Number						
1	0.000					
2	0.000					
3	0.002					
4	0.005					
5	0.005					
6	0.006					
7	0.006					
8	0.010					
9 (90 <sup>th</sup> %)	0.015					
10	0.020					

List all samples in ascending order (lowest to highest)

Take the total # of samples  $x \ 0.9 = the \ 90^{th}$  percentile value (10  $x \ 0.9 = 9$ )

Compare sample #9 to the lead action level

The system does not exceed the lead action level because its 90th percentile level (the 9th sample) is 0.015 mg/L, which equals the lead action level. To have an exceedance, the 90th percentile level must be greater than 0.015 mg/L.

 $<sup>\</sup>ensuremath{^*}$  Please submit FORM LCR-C along with this form.

Name:	City/Town:
PWSID # :	Date://

In Example 2 below, the system is required to collect a minimum of 10 valid samples. It collects 12 valid samples and thus, all 12 are used in the 90th percentile calculation. In this example, the 90th percentile level is 10.8 (i.e., 12 samples x 0.9 = 10.8).

Example 2: Determining Whether An Action Level Has Been Exceeded When the 90th Percentile Sample Number Contains a decimal.					
Sample Rank (Number)	Sample Value (mg/L)				
1	0.000				
2	0.000				
3	0.002				
4	0.005				
5	0.005				
6	0.005				
7	0.006				
8	0.006				
9	0.010				
10	0.014				
11	0.018				
12	0.020				

DEP determines the 90<sup>th</sup> percentile as follows:

### **Using Rounding:** DEP's policy is to:

- 1. Round down to the nearest whole number if your decimal portion is 0.4 or lower.
- 2. Round up to the nearest whole number if your decimal portion is 0.5 or higher.

In this example, the 90th percentile sample is 10.8, and you would round up to 11. So, the sample that is ranked 11th in the list represents the 90th percentile level that you compare to the relevant action level.

Using rounding, the 90th percentile result is 0.018 mg/L and the system exceeds the lead action level of 0.015 mg/L.